Inter seed

Interseed Potatoes GmbH
www.interseed.de



Rassenexpositie
Exhibition of potato varieties
Kartoffelsortenausstellung
Présentation des variétés de pomme de terre

04–06.11.2026

located at:

Interseed Holland BV
Bedrijfsweg 130
NL – 8304 AA Emmeloord

Proefveld:	Versuchsfeld:	Trial field:	Champ d'essai:
Interseed Holland B.V. 2026 Emmeloord, Flevoland	Interseed Holland B.V. 2026 Emmeloord, Flevoland	Interseed Holland B.V. 2026 Emmeloord, Flevoland	Interseed Holland B.V. 2026 Emmeloord, Flevoland
Locatie:	**Ort:**	**Location:**	**Localisation:**
Dhr. J. Lumens, Pilotenweg 12, 8303 EJ, Emmeloord	Dhr. J. Lumens, Pilotenweg 12, 8303 EJ, Emmeloord	Dhr. J. Lumens, Pilotenweg 12, 8303 EJ, Emmeloord	Dhr. J. Lumens, Pilotenweg 12, 8303 EJ, Emmeloord
Grondsoort:	**Bodenart:**	**Soil type:**	**Type de sol:**
Klei / Zavel, 35%	Junger Seeklei, 35%	Claysoil, 35%	Argile, 35%
Voorvrucht:	**Vorfrucht:**	**Previous crop:**	**Précédents:**
Gras	Gras	Grass	Herbe
Plantdatum:	**Pflanzdatum:**	**Date of Planting:**	**Date de plantation:**
06-05-2026	06-05-2026	06-05-2026	06-05-2026
Bemesting:	**Düngung:**	**Fertilization:**	**Fertilisation:**
Voor poten: 10 to Kippenmest N:25 kg/to P: 15 kg/to K: 7 kg/to 600 kg 40er Kali	Vor Pflanzung: 10 to Hähnchenmist N:25 kg/to P: 15 kg/to K: 7 kg/to 600 kg 40er Kali	Before planting: 10 to Chickenmanure N:25 kg/to P: 15 kg/to K: 7 kg/to 600 kg 40er Kali	Avant plantation: 10 to Fumier de poulet N:25 kg/to P: 15 kg/to K: 7 kg/to 600 kg 40er Kali
Na pooten: 200 kg KAS 27%	Nach Pflanzung: 200 kg KAS 27%	After planting: 200 kg KAS 27%	Après la plantation: 200 kg KAS 27%
Rooidatum:	**Erntedatum:**	**Harvesting date:**	**Date de récolte:**
6-10-2026	06-10-2026	06-10-2026	06-10-2026
Zuivere bemesting/ha:	**Gesamtdüngung/ha:**	**Total fertilization/ha:**	**Fertilisation totale/ha:**
180 kg N, 150 kg P, 310 kg K, 50 kg Mg	180 kg N, 150 kg P, 310 kg K, 50 kg Mg	180 kg N, 150 kg P, 310 kg K, 50 kg Mg	180 kg N, 150 kg P, 310 kg K, 50 kg Mg



Results French fries varieties 2026

	Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL	Francis	Action x ISP 14-15-03	VE	F	LY	89	16,8	20,8	382	l	66,1	100	Am A
DE						72	14,6	21,3	393		76,5	101	
NL	Zorba	CIP 31/35 x Carola	E	F	LY	78	11,1	21,6	399	l	62,2	88	Fysio 1(8)
DE						68	8,4	21,8	402		67,8	92	
NL	Auris	ISP 36-5-11 x Montis	E	F	LY	52	8,8	20,4	374	lo	81,1	98	Am A, Fysio 1 (8), 2/6 (8)
DE						68	10,4	22,0	406		86,3	97	
NL	Innovator	Shepody x RZ 84-2580	ME	F	LY	57	8,4	20,1	368	l	73,7	87	Am D, E
DE						71	9,2	20,2	370		78,4	85	
NL	Travis	ISP 26-12-03 x ISP 6-63-05	ME	F	LY	54	9,6	23,2	431	l	81,9	97	Am A
DE						65	10,6	23,6	439		82,2	102	

Mat = maturity; E = early, ME = medium early, L = late
Dest = destination; F = french fries, C = crisps
FC = colour of flesh; W = white, LY = light yellow, Y = yellow
TC = tubercount, number of tubers 40 mm+/ 10kg
Wart disease: Fysio 1; 2; 6; 18

T/P = number of tubers per plant
DM = dry matter content
UWW = underwaterweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval, o = oval, ro = roundoval, r = round

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistent

Rel.Yield = relative yield; Ø 74,50 t/ha (NL); Ø 59,67 t/ha (D)



Results French fries varieties 2026

	Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL	Fontane	Agria x AR 76-34-3	ME	F	LY-Y	60	10,2	21,6	398	o	79,0	98	Am A
DE						88	14,0	22,8	424		70,5	94	
NL	Chenoa	Miss Bianka x ISP 17-1-01	ME	F	LY	58	10,7	20,8	382	l	71,0	106	Am A, Fysio 6(8)
DE						63	10,4	22,2	412		69,7	102	
NL	Mikara (ISP 27-1-17)	Alanis x Etana	ME	F	LY-Y	73	15,7	21,2	391	lo	79,4	113	Am A*, B/C*, Fysio 1*
DE						65	16,3	20,6	378		87,9	117	
NL	Montis	ISP 19-8-03 x ISP 14-15-03	ME	F	LY-Y	47	8,1	20,0	365	l	80,7	99	Am A; Fysio 1
DE						58	10,4	21,3	392		82,1	101	
NL	Willis (ISP 11-1-18)	Agria x Poseidon	ME	F	LY-Y	58	11,0	20,6	378	l	69,7	105	Am A*, B/C*, Fysio 1*, 2/6*, 8/18*
DE						69	14,4	20,7	380		65,2	116	

Mat = maturity; E = early, ME = medium early, L = late
Dest = destination; F = french fries, C = crisps
FC = colour of flesh; W = white, LY = light yellow, Y = yellow
TC = tubercount, number of tubers 40 mm+/ 10kg
Wart disease: Fysio 1; 2; 6; 18

T/P = number of tubers per plant
DM = dry matter content
UWW = underwaterweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval, o = oval, ro = roundoval, r = round

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistent

Rel.Yield = relative yield; Ø 74,50 t/ha (NL); Ø 59,67 t/ha (D)



Results French fries varieties 2026

	Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL	ISP 97-2-21	Lady Jane x Alanis	L	F	LY	56	12,3	20,7	379	lo	76,6	118	Am A*
DE						62	16,5	22,0	406		72,2	126	
NL	Agria	Quarta x Semlo	L	F	Y	58	10,8	20,4	373	o	85,2	101	Am A
DE						68	10,9	22,2	412		80,4	87	
NL	Alanis	Heg 93-3 x Bru 93-136	L	F	LY	73	12,0	20,7	379	lo	67,2	98	Am A, Fysio 6 (6); 18 (6)
DE						78	11,9	20,8	381		67,1	84	
NL	Poseidon	ISP 3-10-01 x ISP 23-3-02	L	F	LY-Y	57	10,3	21,9	404	lo	84,9	97	Am A, D, E; Fysio 1; 2/6 (8)
DE						82	10,8	24,1	450		74,9	98	
NL	Markies	Fianna x Agria	L	F	LY-Y	61	9,8	20,3	372	o	79,9	95	Am A
DE						82	13,6	22,1	410		78,2	98	

Mat = maturity; E = early, ME = medium early, L = late
Dest = destination; F = french fries, C = crisps
FC = colour of flesh; W = white, LY = light yellow, Y = yellow
TC = tubercount, number of tubers 40 mm+/ 10kg
Wart disease: Fysio 1; 2; 6; 18

T/P = number of tubers per plant
DM = dry matter content
UWW = underwaterweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval,
o = oval, ro = roundoval, r = round

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistent

Rel.Yield = relative yield; Ø 74,50 t/ha (NL); Ø 59,67 t/ha (D)

Results crisping varieties 2026



	Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL	Austin	Albata x Miss Bianka	E	C	LY	75	9,7	22,2	412	ro	77,9	104	Am A; Fysio 1
DE						67	11,3	23,0	427		86,1	107	
NL	L. Claire	Agria x KW 78-34-470	E	C	LY-Y	101	8,5	21,3	393	o	49,0	77	Am A; Fysio 1
DE						111	11,5	21,6	397		36,9	81	
NL	Curtis	Poseidon x ISP 14-15-03	ME	C	LY	91	11,9	21,8	403	ro	62,9	110	Am A, B/C, Fysio 1, 2 (8)
DE						106	13,5	22,5	417		57,6	97	
NL	SH C 1010	Omega x VR 808	ME	C	LY	96	9,5	22,9	425	ro	57,2	88	Am A, Fysio 1
DE						128	12,7	25,8	486		43,9	89	
NL	ISP 28-1-20	Curtis x Sarion	ME	C	LY	103	13,9	24,1	450	ro	55,5	107	Am d*, e*, Fysio 1*, 18 (8)*
DE						109	18,4	23,8	445		56,4	114	
NL	ISP 15-1-21	Saprodi x Francis	ME	C	LY	78	10,4	22,6	420	o	71,5	107	Am A*, D*, E*, Fysio 1*
DE						68	12,6	22,7	421		82,7	120	

Mat = maturity; E = early, ME = medium early, L = late
Dest = destination; F = french fries, C = crisps
FC = colour of flesh; W = white, LY = light yellow, Y = yellow
TC = tubercount, number of tubers 40 mm+/ 10kg
Wart disease: Fysio 1; 2; 6; 18

T/P = number of tubers per plant
DM = dry matter content
UWW = underwaterweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval, o = oval, ro = roundoval, r = round

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistent

Rel.Yield = relative yield; Ø 70,4 t/ha (NL); Ø 66,6 t/ha (D)

Results crisping varieties 2026



	Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL	ISP 59-4-21	ISP 15-3-17 x ISP 29-1-16	ME	C	LY	82	11,8	22,2	411	ro	78,7	107	Am A*, Fysio 1*
DE						89	14,0	22,5	416		76,0	109	
NL	Joris	ISP 36-5-11 x Poseidon	ME	C	LY	75	11,9	22,8	423	ro	83,3	117	Am A, B/C, D, E ,G, Fysio 1, 2/6 (8)
DE						104	12,3	22,3	412		53,8	102	
NL	ISP 24-1-20	Saprodi x Travis	ME	C	W-LY	89	12,4	25,3	474	ro	64,4	110	Am A*,d*,e*,Fysio 1*, 2/6*
DE						95	16,4	25,4	476		72,5	114	
NL	Verdi	Tomensa x Diana	ME	C	LY	92	5,9	23,2	431	ro	46,2	73	Am A
DE						114	7,5	24,1	451		35,6	67	

Mat = maturity; E = early, ME = medium early, L = late
Dest = destination; F = french fries, C = crisps
FC = colour of flesh; W = white, LY = light yellow, Y = yellow
TC = tubercount, number of tubers 40 mm+/ 10kg
Wart disease: Fysio 1; 2; 6; 18

T/P = number of tubers per plant
DM = dry matter content
UWW = underwaterweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval, o = oval, ro = roundoval, r = round

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistent

Rel.Yield = relative yield; Ø 70,4 t/ha (NL); Ø 66,6 t/ha (D)



Results French fries varieties 2026





Francis

Action x ISP 14-15-03

Maturity:
Very early

Purpose:
French Fries

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	89	16,8	20,8	382	66,1	100	I	Am A
DE	72	14,6	21,3	393	76,5	101		





Zorba

CIP 31/35 x Carola

Maturity:
Early

Purpose:
French Fries

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	78	11,1	21,6	399	62,2	88	I	Fysio 1 (8)
DE	68	8,4	21,8	402	67,8	92		





Auris

ISP 36-5-11 x Montis

Maturity:
Early

Purpose:
French Fries

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	52	8,8	20,4	374	81,1	98	lo	Am A, Fysio 1 (8), 2/6 (8)
DE	68	10,4	22,0	406	86,3	97		





Innovator

Shepody x RZ 84-2580

Maturity:
Medium early

Purpose:
French Fries

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	57	8,4	20,1	368	73,7	87	I	Am D, E
DE	71	9,2	20,2	370	78,4	85		





Travis

ISP 26-12-03 x ISP 6-63-05

Maturity:
Medium early

Purpose:
French Fries

Flesh color:
Light yellow - yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	54	9,6	23,2	431	81,9	97	I	Am A
DE	65	10,6	23,6	439	82,2	102		





Fontane

Agria x AR 76-34-3

Maturity:
Medium early

Purpose:
French Fries

Flesh color:
Light yellow - yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	60	10,2	21,6	398	79,0	98	o	Am A
DE	88	14,0	22,8	424	70,5	94		





Chenoa

Miss Bianka x ISP 17-1-01

Maturity:
Medium early

Purpose:
French Fries

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	58	10,7	20,8	382	71,0	106	I	Am A, Fysio 6 (8)
DE	63	10,4	22,2	412	69,7	102		





Mikara

(ISP 27-1-17)

Alanis x Etana

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow-Yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	73	15,7	21,2	391	79,4	113	lo	Am A*, B/C*; Fysio 1*
DE	65	16,3	20,6	378	87,9	117		





Montis

ISP 19-8-03 x ISP 14-15-03

Maturity:
Medium early

Purpose:
French Fries

Flesh color:
Light yellow - yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	47	8,1	20,0	365	80,7	99	I	Am A; Fysio 1
DE	58	10,4	21,3	392	82,1	101		





Willis

(ISP 11-1-18)

Agria x Poseidon

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow - Yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	58	11,0	20,6	378	69,7	105	I	Am A*, B/C*; Fysio 1*, 2/6*, 8/18*
DE	69	14,4	20,7	380	65,2	116		





ISP 97-2-21

Lady Jane x Alanis

Maturity:
Late

Purpose:
French Fries

Flesh color:
Light Yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	56	12,3	20,7	379	76,6	118	lo	Am A*
DE	62	16,5	22,0	406	72,2	126		





Agria

Quarta x Semlo

Maturity:
Late

Purpose:
French Fries

Flesh color:
Yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	58	10,8	20,4	373	85,2	101	o	Am A
DE	68	10,9	22,2	412	80,4	87		





Alanis

Heg 93-3 x Bru 93-136

Maturity:
Late

Purpose:
French Fries

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	73	12,0	20,7	379	67,2	98	lo	Am A; Fysio 6 (6); 18 (6)
DE	78	11,9	20,8	381	67,1	84		





Poseidon

ISP 3-10-01 x ISP 23-3-02

Maturity:
Late

Purpose:
French Fries

Flesh color:
Light yellow - yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	57	10,3	21,9	404	84,9	97	lo	Am A, D, E; Fysio 1; 2/6 (8)
DE	82	10,8	24,1	450	74,9	98		





Markies

Fianna x Agria

Maturity:
Late

Purpose:
French Fries

Flesh color:
Light yellow - yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	61	9,8	20,3	372	79,9	95	o	Am A
DE	82	13,6	22,1	410	78,2	98		



Results crisping varieties 2026





Austin

Albata x Miss Bianka

Maturity:
Early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	75	9,7	22,2	412	77,9	104	ro	Am A; Fysio 1
DE	67	11,3	23,0	427	86,1	107		





Lady Claire

Agria x KW 78-34-470

Maturity:
Early

Purpose:
Crisps

Flesh color:
Light yellow - yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	101	8,5	21,3	393	49,0	77	o	Am A; Fysio 1
DE	111	11,5	21,6	397	36,9	81		





Curtis

Poseidon x ISP 14-15-03

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	91	11,9	21,8	403	62,9	110	ro	Am A, B/C; Fysio 1, 2 (8)
DE	106	13,5	22,5	417	57,6	97		





SH C 1010

Omega x VR 808

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	96	9,5	22,9	425	57,2	88	ro	Am A; Fysio 1
DE	128	12,7	25,8	486	43,9	89		





ISP 28-1-20

Curtis x Sarion

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	103	13,9	24,1	450	55,5	107	ro	Am d*, e*; Fysio 1*, 18 (8)*
DE	109	18,4	23,8	445	56,4	114		





ISP 15-1-21

Saprodi x Francis

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	78	10,4	22,6	420	71,5	107	o	Am A*, D*, E*; Fysio 1*
DE	68	12,6	22,7	421	82,7	120		





ISP 59-4-21

ISP 15-3-17 x ISP 29-1-16

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	82	11,8	22,2	411	78,7	107	ro	Am A*; Fysio 1*
DE	89	14,0	22,5	416	76,0	109		





Joris

ISP 36-5-11 x Poseidon

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	75	11,9	22,8	423	83,3	117	ro	Am A,B/C,D,E,G; Fysio 1, 2/6 (8)
DE	104	12,3	22,3	412	53,8	102		





ISP 24-1-20

Saprodi x Travis

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
White-Light Yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	89	12,4	25,3	474	64,4	110	ro	Am A*, d*, e*; Fysio 1*, 2/6*
DE	95	16,4	25,4	476	72,5	114		





Verdi

Tomensa x Diana

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	% >50 mm	Rel. Yield	Shape	Resistance
NL	92	5,9	23,2	431	46,2	73	ro	Am A
DE	114	7,5	24,1	451	35,6	67		

Notes

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Inter seed



Interseed Holland BV
Bedrijfsweg 130
NL-8304 AA Emmeloord
Tel: 0031-321310069
Mail: info@interseed.nl
www.interseed.nl

Interseed Potatoes GmbH
Gross Charlottengroden 6b
D-26409 Wittmund
Tel.: +49 4434 8832
Mail: info@interseed.de
www.interseed.de

Maison Debarge Plants
173 Rue de Thérouanne
F- 62500 Saint-Omer
Tel.: 0033-(0)321128740
Mail: plants@maisondebarge.fr
www.maisondebarge.fr