



Interseed Potatoes GmbH

www.interseed.de



Rassenexpositie
Exhibition of potato varieties
Kartoffelsortenausstellung
Présentation des variétés de pomme de terre

05–07.11.2025

located at:

Interseed Holland BV
Bedrijfsweg 130
NL – 8304 AA Emmeloord



Proefveld:	Versuchsfeld:	Trial field:	Champ d'essai:
Interseed Holland B.V. 2025 Emmeloord, Flevoland	Interseed Holland B.V. 2025 Emmeloord, Flevoland	Interseed Holland B.V. 2025 Emmeloord, Flevoland	Interseed Holland B.V. 2025 Emmeloord, Flevoland
Locatie:	Ort:	Location:	Localisation:
Dhr. J. Lumens, Pilotenweg 12, 8303 EJ, Emmeloord	Dhr. J. Lumens, Pilotenweg 12, 8303 EJ, Emmeloord	Dhr. J. Lumens, Pilotenweg 12, 8303 EJ, Emmeloord	Dhr. J. Lumens, Pilotenweg 12, 8303 EJ, Emmeloord
Grondsoort:	Bodenart:	Soil type:	Type de sol:
Klei / Zavel, 35%	Junger Seeklei, 35%	Claysoil, 35%	Argile, 35%
Voorvrucht:	Vorfrucht:	Previous crop:	Précédents:
Gras	Gras	Grass	Herbe
Plantdatum:	Pflanzdatum:	Date of Planting:	Date de plantation:
15-04-2025	15-04-2025	15-04-2025	15-04-2025
Bemesting:	Düngung:	Fertilization:	Fertilisation:
Voor poten: 10 to Kippenmest N:25 kg/to P: 15 kg/to K: 7 kg/to 600 kg 40er Kali	Vor Pflanzung: 10 to Hähnchenmist N:25 kg/to P: 15 kg/to K: 7 kg/to 600 kg 40er Kali	Before planting: 10 to Chickenmanure N:25 kg/to P: 15 kg/to K: 7 kg/to 600 kg 40er Kali	Avant plantation: 10 to Fumier de poulet N:25 kg/to P: 15 kg/to K: 7 kg/to 600 kg 40er Kali
Na pooten: 200 kg KAS 27%	Nach Pflanzung: 200 kg KAS 27%	After planting: 200 kg KAS 27%	Après la plantation: 200 kg KAS 27%
Rooidatum: 29-09-2025	Erntedatum: 29-09-2025	Harvesting date: 29-09-2025	Date de récolte: 29-09-2025
Zuivere bemesting/ha:	Gesamtdüngung/ha:	Total fertilization/ha:	Fertilisation totale/ha:
180 kg N, 150 kg P, 310 kg K, 50 kg Mg	180 kg N, 150 kg P, 310 kg K, 50 kg Mg	180 kg N, 150 kg P, 310 kg K, 50 kg Mg	180 kg N, 150 kg P, 310 kg K, 50 kg Mg

Results French fries varieties 2025



Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL Francis	Action x ISP 14-15-03	VE	F	LY	55	12,8	22,9	426	I	90,2	103	Am A
DE Francis	Action x ISP 14-15-03	VE	F	LY	47	9,5	21,5	397	I	92,4	105	
NL Zorba	CIP 31/35 x Carola	E	F	LY	52	12,2	23,0	428	I	93,0	104	Fysio 1(8)
DE Zorba	CIP 31/35 x Carola	E	F	LY	71	13,4	22,0	407	I	85,3	99	
NL Auris	ISP 36-5-11 x Montis	E	F	LY	52	10,4	22,0	406	lo	91,7	100	Am A, Fysio 1 (8), 2/6 (8)
DE Auris	ISP 36-5-11 x Montis	E	F	LY	42	9,8	19,7	358	lo	96,1	102	
NL Innovator	Shepody x RZ 84-2580	ME	F	LY	44	10,1	21,5	396	I	91,7	99	Am D, E
DE Innovator	Shepody x RZ 84-2580	ME	F	LY	62	9,1	19,2	350	I	88,4	82	
NL Travis	ISP 26-12-03 x ISP 6-63-05	ME	F	LY	42	9,8	23,2	431	I	94,2	104	Am A
DE Travis	ISP 26-12-03 x ISP 6-63-05	ME	F	LY	57	10,4	22,6	419	I	90,7	102	
NL ISP 50-1-20	Lady Anna x Francis	ME	F	W	67	13,3	21,1	389	lo	83,0	100	Am A*
DE ISP 50-1-20	Lady Anna x Francis	ME	F	W	47	9,9	22,0	406	lo	88,0	92	

Mat = maturity; E = early, ME = medium early, L = late

Dest = destination; F = french fries, C = crisps

FC = colour of flesh; W = white, LY = light yellow, Y = yellow

TC = tubercount, number of tubers 40 mm+/- 10kg

Wart disease: Fysio 1; 2; 6; 18

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistant

Rel.Yield = **relative yield; Ø 76,11 t/ha (NL); Ø 69,81 t/ha (D)**

T/P = number of tubers per plant

DM = dry matter content

UWW = underweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval,

o = oval, ro = roundoval, r = round

Results French fries varieties 2025



Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL Fontane	Agria x AR 76-34-3	ME	F	LY-Y	70	16,6	24,0	449	o	83,2	96	Am A
DE Fontane	Agria x AR 76-34-3	ME	F	LY-Y	59	14,2	21,1	388	o	90,0	85	
NL Chenoa	Miss Blanka x ISP 17-1-01	ME	F	LY	50	13,1	22,9	425	l	88,8	104	Am A, Fysio 6(8)
DE Chenoa	Miss Blanka x ISP 17-1-01	ME	F	LY	60	10,0	21,0	386	l	81,1	102	
NL ISP 27-1-17	Alanis x Etana	ME	F	LY-Y	47	9,9	22,7	422	o	96,2	100	Am A*, B/C*, Fysio 1*
DE ISP 27-1-17	Alanis x Etana	ME	F	LY-Y	50	9,3	20,2	370	o	95,5	116	
NL Montis	ISP 19-8-03 x ISP 14-15-03	ME	F	LY-Y	44	11,4	22,2	412	l	88,9	102	Am A; Fysio 1
DE Montis	ISP 19-8-03 x ISP 14-15-03	ME	F	LY-Y	41	8,5	19,8	361	l	93,0	105	
NL ISP 22-1-18	Austin x Poseidon	ME	F	LY-Y	47	10,8	24,3	454	lo	90,3	91	Am A*, D*, E*, Fysio 1*
DE ISP 22-1-18	Austin x Poseidon	ME	F	LY-Y	50	9,1	22,1	410	lo	88,2	114	
NL ISP 11-1-18	Agria x Poseidon	ME	F	LY-Y	57	13,5	23,5	438	l	89,3	108	Am A*, B/C*, Fysio 1*, 2/6*, 8/18*
DE ISP 11-1-18	Agria x Poseidon	ME	F	LY-Y	65	15,3	21,4	395	l	79,2	117	

Mat = maturity; E = early, ME = medium early, L = late

Dest = destination; F = french fries, C = crisps

FC = colour of flesh; W = white, LY = light yellow, Y = yellow

TC = tubercount, number of tubers 40 mm+/ 10kg

Wart disease: Fysio 1; 2; 6; 18

* = preliminary assessment

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistant

Rel.Yield = relative yield; **Ø 76,11 t/ha (NL); Ø 69,81 t/ha (D)**

T/P = number of tubers per plant

DM = dry matter content

UWW = underweight

Shape = shape of tubers; l = long, lo = longoval,

o = oval, ro = roundoval, r = round

Results French fries varieties 2025



Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL ISP 62-8-19	Miss Malina x Francis	L	F	LY	64	18,6	24,1	450	I	76,1	105	Am A*, B/C*, G*
DE ISP 62-8-19	Miss Malina x Francis	L	F	LY	45	12,8	21,7	400	I	88,4	107	
NL Agria	Quarta x Semlo	L	F	Y	53	14,2	22,7	422	O	88,0	103	Am A
DE Agria	Quarta x Semlo	L	F	Y	38	8,8	19,8	362	O	92,3	90	
NL Alanis	Heg 93-3 x Bru 93-136	L	F	LY	61	12,8	23,3	433	lo	82,9	93	Am A, Fysio 6 (6); 18 (6)
DE Alanis	Heg 93-3 x Bru 93-136	L	F	LY	42	9,5	19,7	360	lo	97,0	97	
NL Poseidon	ISP 3-10-01 x ISP 23-3-02	L	F	LY-Y	60	13,9	23,5	437	lo	78,1	96	Am A, D, E; Fysio 1; 2/6 (8)
DE Poseidon	ISP 3-10-01 x ISP 23-3-02	L	F	LY-Y	51	9,8	22,6	420	lo	94,0	101	
NL Markies	Fianna x Agria	L	F	LY-Y	76	18,9	23,3	434	O	75,9	94	Am A
DE Markies	Fianna x Agria	L	F	LY-Y	79	11,7	20,9	384	O	75,8	87	

Mat = maturity; E = early, ME = medium early, L = late

Dest = destination; F = french fries, C = crisps

FC = colour of flesh; W = white, LY = light yellow, Y = yellow

TC = tubercount, number of tubers 40 mm+/ 10kg

Wart disease: Fysio 1; 2; 6; 18

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistant

Rel.Yield = relative yield; Ø 76,11 t/ha (NL); Ø 69,81 t/ha (D)

T/P = number of tubers per plant

DM = dry matter content

UWW = underweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval,

o = oval, ro = roundoval, r = round

Results crisping varieties 2025



Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL Austin	Albata x Miss Bianca	E	C	LY	68	12,0	23,8	444	ro	85,3	96	Am A; Fysio 1
DE Austin	Albata x Miss Bianca	E	C	LY	64	9,2	21,4	394	ro	91,2	98	
NL L. Claire	Agria x KW 78-34-470	E	C	LY-Y	107	17,4	22,9	425	o	50,4	86	Am A; Fysio 1
DE L. Claire	Agria x KW 78-34-470	E	C	LY-Y	108	10,1	21,5	395	o	56,0	83	
NL Curtis	Poseidon x ISP 14-15-03	ME	C	LY	70	11,6	23,7	443	ro	82,7	102	Am A, B/C, Fysio 1, 2 (8)
DE Curtis	Poseidon x ISP 14-15-03	ME	C	LY	75	10,1	21,8	402	ro	85,7	107	
NL SH C 1010	Omega x VR 808	ME	C	LY	89	18,0	25,0	468	ro	74,6	100	Am A, Fysio 1
DE SH C 1010	Omega x VR 808	ME	C	LY	85	9,9	24,4	456	ro	68,6	89	
NL ISP 28-1-20	Curtis x Sarion	ME	C	LY	87	18,9	26,4	497	ro	75,6	107	Am D*, E*, Fysio 1*, 18 (8)*
DE ISP 28-1-20	Curtis x Sarion	ME	C	LY	95	12,0	25,6	481	ro	73,5	109	
NL Joris	ISP 36-5-11 x Poseidon	ME	C	LY	86	15,9	24,6	460	ro	81,4	106	Am A, B/C, D, E, G, Fysio 1, 2/6 (8)
DE Joris	ISP 36-5-11 x Poseidon	ME	C	LY	76	12,2	21,7	401	ro	84,3	117	

Mat = maturity; E = early, ME = medium early, L = late

Dest = destination; F = french fries, C = crisps

FC = colour of flesh; W = white, LY = light yellow, Y = yellow

TC = tubercount, number of tubers 40 mm+/- 10kg

Wart disease: Fysio 1; 2; 6; 18

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistant

Rel.Yield = relative yield; Ø 72,4 t/ha (NL); Ø 65 t/ha (D)

T/P = number of tubers per plant

DM = dry matter content

UWW = underwaterweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval,

o = oval, ro = roundoval, r = round

Results crisping varieties 2025



Variety	Cross	Mat	Dest	FC	TC	T/P	DM %	UWW	Shape	%>50 mm	Rel.Yield	Resistance
NL ISP 24-1-20	Saprodi x Travis	ME	C	W-LY	84	18,7	27,8	520	ro	77,9	111	Am A*,d*,e*,Fysio 1*, 2/6*
DE ISP 24-1-20	Saprodi x Travis	ME	C	W-LY	78	13	25,5	479	ro	84,2	115	
NL ISP 24-4-20	Saprodi x Travis	ME	C	LY	69	13,0	25,5	480	ro	88,7	115	Am A*, D*, E*, Fysio 1*
DE ISP 24-4-20	Saprodi x Travis	ME	C	LY	52	11,1	23,8	445	ro	95,7	113	
NL Verdi	Tomensa x Diana	ME	C	LY	72	13,0	27,6	517	ro	75,5	78	Am A
DE Verdi	Tomensa x Diana	ME	C	LY	100	9,1	23,5	438	ro	55	70	

Mat = maturity; E = early, ME = medium early, L = late

Dest = destination; F = french fries, C = crisps

FC = colour of flesh; W = white, LY = light yellow, Y = yellow

TC = tubercount, number of tubers 40 mm+/- 10kg

Wart disease: Fysio 1; 2; 6; 18

Am = Nematode Resistance (not susceptible for:) A = Ro 1, 4; B/C = Ro 2,3; G = Ro 5; D = Pa 2; E = Pa 3; lowercase letter = partly resistant

Rel.Yield = relative yield; Ø 72,4 t/ha (NL); Ø 65,0 t/ha (D)

T/P = number of tubers per plant

DM = dry matter content

UWW = underwaterweight

* = preliminary assessment

Shape = shape of tubers; l = long, lo = longoval,

o = oval, ro = roundoval, r = round



Results

French fries

varieties 2025



Francis

Action x ISP 14-15-03

Maturity:

Very early

Purpose:

French Fries

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	55	12,8	22,9	426	I	90,2	103	Am A
DE	47	9,5	21,5	397	I	92,4	105	Am A



Zorba

CIP 31/35 x Carola

Maturity:

Early

Purpose:

French Fries

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	52	12,2	23,0	428	I	93,0	104	Fysio 1(8)
DE	71	13,4	22,0	407	I	85,3	99	Fysio 1(8)



Auris

ISP 36-5-11 x Montis

Maturity:

Early

Purpose:

French Fries

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	52	10,4	22,0	406	lo	91,7	100	Am A; Fysio 1 (8), 2/6 (8)
DE	42	9,8	19,7	358	lo	96,1	102	Am A; Fysio 1 (8), 2/6 (8)



Innovator

Shepody x RZ 84-2580

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	44	10,1	21,5	396	I	91,7	99	Am D, E
DE	62	9,1	19,2	350	I	88,4	82	Am D, E



Travis

ISP 26-12-03 x ISP 6-63-05

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow - yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	42	9,8	23,2	431	I	94,2	104	Am A
DE	57	10,4	22,6	419	I	90,7	102	Am A



ISP 50-1-20

Lady Anna x Francis

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

White

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	67	13,3	21,1	389	lo	83,0	100	Am A*
DE	47	9,9	22,0	406	lo	88,0	92	Am A*



Fontane

Agria x AR 76-34-3

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow - yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	70	16,6	24,0	449	0	83,2	96	Am A
DE	59	14,2	21,1	388	0	90,0	85	Am A



Chenoa

Miss Bianca x ISP 17-1-01

Maturity:
Medium early

Purpose:
French Fries

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	50	13,1	22,9	425	I	88,8	104	Am A, Fysio 6(8)
DE	60	10,0	21,0	386	I	81,1	102	Am A, Fysio 6(8)



ISP 27-1-17

Alanis x Etana

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow-Yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	47	9,9	22,7	422	0	96,2	100	Am A *, B/C*; Fysio 1*
DE	50	9,3	20,2	370	0	95,5	116	Am A *, B/C*; Fysio 1*



Montis

ISP 19-8-03 x ISP 14-15-03

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow - yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	44	11,4	22,2	412	I	88,9	102	Am A; Fysio 1
DE	41	8,5	19,8	361	I	93,0	105	Am A; Fysio 1



ISP 22-1-18

Austin x Poseidon

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow - yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	47	10,8	24,3	454	lo	90,3	91	Am A*,D*,E*, Fysio 1*
DE	50	9,1	22,1	410	lo	88,2	114	Am A*,D*,E*, Fysio 1*



ISP 11-1-18

Agria x Poseidon

Maturity:

Medium early

Purpose:

French Fries

Flesh color:

Light yellow - Yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	57	13,5	23,5	438	I	89,3	108	Am A*,B/C*, Fysio 1*, 2/6*, 8/18*
DE	65	15,3	21,4	395	I	79,2	117	Am A*,B/C*, Fysio 1*, 2/6*, 8/18*



ISP 62-8-19

Miss Malina x Francis

Maturity:

Late

Purpose:

French Fries

Flesh color:

Light Yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	64	18,6	24,1	450	I	76,1	105	Am A*, B/C*, G*
DE	45	12,8	21,7	400	I	88,4	107	Am A*, B/C*, G*



Agria

Quarta x Semlo

Maturity:

Late

Purpose:

French Fries

Flesh color:

Yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	53	14,2	22,7	422	0	88,0	103	Am A
DE	38	8,8	19,8	362	0	92,3	90	Am A



Alanis

Heg 93-3 x Bru 93-136

Maturity:

Late

Purpose:

French Fries

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	61	12,8	23,3	433	lo	82,9	93	Am A, Fysio 6 (6), 18 (6)
DE	42	9,5	19,7	360	lo	97,0	97	Am A, Fysio 6 (6), 18 (6)



Poseidon

ISP 3-10-01 x ISP 23-3-02

Maturity:

Late

Purpose:

French Fries

Flesh color:

Light yellow - yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	60	13,9	23,5	437	lo	78,1	96	Am A, D, E; Fysio 1,2/6(8)
DE	51	9,8	22,6	420	lo	94,0	101	Am A, D, E; Fysio 1,2/6(8)



Markies

Fianna x Agria

Maturity:

Late

Purpose:

French Fries

Flesh color:

Light yellow - yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	76	18,9	23,3	434	0	75,9	94	Am A
DE	79	11,7	20,9	384	0	75,8	87	Am A



Results crisping varieties 2025



Austin

Albata x Miss Bianka

Maturity:

Early

Purpose:

Crisps

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	68	12,0	23,8	444	ro	85,3	96	Am A; Fysio 1
DE	64	9,2	21,4	394	ro	91,2	98	Am A; Fysio 1



Lady Claire

Agria x KW 78-34-470

Maturity:

Early

Purpose:

Crisps

Flesh color:

Light yellow - yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	107	17,4	22,9	425	0	50,4	86	Am A; Fysio 1
DE	108	10,1	21,5	395	0	56,0	83	Am A; Fysio 1



Curtis

Poseidon x ISP 14-15-03

Maturity:

Medium early

Purpose:

Crisps

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	70	11,6	23,7	443	ro	82,7	102	Am A, B/C; Fysio 1, 2 (8)
DE	75	10,1	21,8	402	ro	85,7	107	Am A, B/C; Fysio 1, 2 (8)



SH C 1010

Omega x VR 808

Maturity:

Medium early

Purpose:

Crisps

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	89	18,0	25,0	468	ro	74,6	100	Am A, Fysio 1
DE	85	9,9	24,4	456	ro	68,6	89	Am A, Fysio 1



ISP 28-1-20

Curtis x Sarion

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	87	18,9	26,4	497	ro	75,6	107	Am D*, E*, Fysio 1*, 18 (8)*
DE	95	12,0	25,6	481	ro	73,5	109	Am D*, E*, Fysio 1*, 18 (8)*



Joris

ISP 36-5-11 x Poseidon

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	86	15,9	24,6	460	ro	81,4	106	Am A, B/C, D, E, G; Fysio 1, 2/6 (8)
DE	76	12,2	21,7	401	ro	84,3	117	Am A, B/C, D, E, G; Fysio 1, 2/6 (8)



ISP 24-1-20

Saprodi x Travis

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
White-Light Yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	84	18,7	27,8	520	ro	77,9	111	Am A*, d*, e*, Fysio 1*, 2/6*
DE	78	13	25,5	479	ro	84,2	115	Am A*, d*, e*, Fysio 1*, 2/6*



ISP 24-4-20

Saprodi x Travis

Maturity:
Medium early

Purpose:
Crisps

Flesh color:
Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	69	13,0	25,5	480	ro	88,7	115	Am A*, D*, E*, Fysio 1*
DE	52	11,1	23,8	445	ro	95,7	113	Am A*, D*, E*, Fysio 1*



Verdi

Tomensa x Diana

Maturity:

Medium early

Purpose:

Crisps

Flesh color:

Light yellow

	TC	T/P	DM %	UWW	Shape	% >50 mm	Rel. Yield	Resistance
NL	72	13,0	27,6	517	ro	75,5	78	Am A
DE	100	9,1	23,5	438	ro	55,0	70	Am A



Interseed Holland BV
Bedrijfsweg 130
NL-8304 AA Emmeloord
Tel: 0031-321310069
Mail: info@interseed.nl
www.interseed.nl

Interseed Potatoes GmbH
Gross Charlottengroden 6b
D-26409 Wittmund
Tel.: +49 4434 8832
Mail: info@interseed.de
www.interseed.de

Maison Debarge Plants
173 Rue de Théroutanne
F- 62500 Saint-Omer
Tel.: 0033-(0)321128740
Mail plants@maisondebarge.fr
www.maisondebarge.fr